


MODEL NUMBER SIGNIFICANCE CHART

1	2	3	4	5	6	7	8	9	10	11	12	13	14
0	6	D	A	3	1	6	0	0	A	3	2	0	0

NOTES:

- SPECIAL ORDER SERVICE COMPRESSORS FOR BRYANT MAY BE PROCESSED AS "9" NAMEPLATED "6" (8TH DIGIT).
- SERVICE MODELS WITH "C" IN THE 10TH DIGIT REPLACE ALL "A", "C" AND "E" ORIGINAL EQUIPMENT MODELS AND "D" SERVICE MODELS REPLACE "8" & "F" MODELS. TERMINAL BOXES AND OVERLOADS ARE TO BE RE-USED OR REPLACED IF DAMAGED.
- "09" IN THE 11TH & 12TH DIGITS HAS BEEN USED IN THE PAST FOR 400-3-50 MOTORS AND IS NO LONGER USED. SO AS TO AVOID CONFUSION IN SERVICE THESE DIGITS ARE TO BE LEFT ON THIS CHART BUT ARE NOT TO BE RE-USED.



SERVICE COMPRESSOR MODEL NUMBER SIGNIFICANCE CHART

1	2	3	4	5	6	7	8	9	10	11	12	13	14
0	6	D	X	3	2	8	6	B	C	1	2	0	0

**06D SEMI HERMETIC
RECIPROCATING
COMPRESSOR**

14 TH DIGIT PACKAGING**13 TH DIGIT VARIATION**

FUTURE DESIGN VARIABLES

0	Original Design A/C & Refrig
1	2nd Gen Refrig w/New VLV PLT
2	Med A/C w/Refrig Character
3	Low Clearance Volume
4	R or M, Oil, 1 Step Elec SCOU
5	No Oil
6	with POE Oil
7	R or M, No Oil, 1 Step Elec SCOU
8	R or M, No Oil, 2 Step Elec SCOU

11 TH & 12 TH DIGIT VARIATION

ELECTRICAL SPECS

VOLTS / PHASE / HERTZ START

01	575-3-60	XL
02	200-1-60	XL
03	230-1-60	XL
04	208-3-60	XL
05	230-3-60	XL
06	400 / 460-3-50 / 60	XL
07	230-1-50	XL
08	220-3-50	XL
09	400-3-50	XL
10	230-2-60	XL
11	480-3-60	XL
12	208 / 230-3-60	XL
13	380-3-60	XL
14	200-3-60	P/W
15	230-3-60	P/W
18	220-3-50	P/W
19	230 / 460-3-60	XL
21	575-3-60	XL
26	400 / 460-3-50 / 60	XL
31	575-3-60	XL
32	208 / 230-3-60	XL
33	208 / 230-1-60	XL
34	220-3-50	XL
36	400 / 460-3-50 / 60	XL
38	415-3-50	P/W
39	415-3-50	XL

4 TH DIGIT VARIATION

M	A/C Med Temp No Unloader
R	Refrig - No Unloaders
S	1 Plugged Head (SCOU)
X	1 Plugged Head (HGBP)

("M" REPLACES
ALL "A" PRODUCTION
COMPS)

5 TH DIGIT VARIATION

	MOTOR 2-CYL	MOTOR 4-CYL	MOTOR 6-CYL
0		3HP	
1	2HP		5HP
2			24 Lb Ft
3		5HP	27 Lb Ft
4	3 1/2 HP		
5		5 1/2HP	38 Lb Ft
7		5HP	20 Lb Ft
8	3HP	20 Lb Ft	24 Lb Ft

8 TH DIGIT VARIATION

6	Reman Service Compr
7	New Man Service Compr
8	Special Order Only
9	Service Special Order

6 TH & 7TH DIGIT VARIATION

CFM	NO. OF CYL	CYL BORE
07	2	1 3/16
08	2	2
09	2	2
13	4	2
16	4	2
18	4	2
20	4	2
24	6	2
28	6	2
37	6	2

9 TH DIGIT VARIATION

SUCTION SERVICE VALVE VARIABLE

	LOCATION	VALVE MOUNT	VALVE ORIENTATION	
A	Motor End	2 Bolt	30	
B	Motor End	4 Bolt	30	
C	Motor End	2 Bolt	90	
D	Motor End	4 Bolt	90 / 180	
G	Pump End	Plain	225	180


10 TH DIGIT VARIATION

	EXT'L OVL'D'S	INT'L T'STATS	
C	NO	YES	FOR A, C & E
D	NO	NO	FOR B, D & F





575-3-60 Unit Designed For Use On 518 to 632V
 460-3-50 414 to 506V
 230-3-60 198 to 254V
 220-3-50 198 to 242V
 400-3-50 342 to 457V
 200-3-60 180 to 229V
 208/230-3-60 187 to 254V

NOTE: 13 & 16 CFM REMAN COMPRS
 (MODELS WITH A (6) IN THE 8TH DIGIT OF MODEL
 NUMBER) WILL HAVE SUCTION VALVE MOUNTING
 CAPABILITIES AT BOTH THE MOTOR & PUMP ENDS.
 TO REPLACE ANY EXISTING MODEL YOU MAY HAVE,
 NEW SERVICE COMPRS (MODELS WITH A (7)
 IN THE 8TH DIGIT OF MODEL NUMBER) WILL NOT
 HAVE THE SUCTION VALVE DUAL LOCATION. IT WILL
 HAVE THE VALVE IN LOCATION INDICATED BY WHAT
 IS SHOWN IN THE 9TH DIGIT OF THE MODEL NUMBER.


**NOTE: All Service Compressors Are Less External
 Overloads, Service Valves, Crankcase Heaters,
 Unloader Valves / Coils & Terminal Boxes.**




2 CYL. COMPRESSORS




2 CYL. COMPRESSORS




4 CYL. COMPRESSORS




4 CYL. COMPRESSORS












6 CYL. COMPRESSORS




6 CYL. COMPRESSORS




**2 CYL. COMP'S****ALL COMP'S****A/C COMP'S
MED. TEMP. COMP'S****REFRIG. COMP'S**



VIEW E-E from pgs 3,5,8



3A TYPICAL TERMINAL PLATE



DETAIL V

Model/Sales Package: 06DA/DM/DS/DX818



Model 06DA/DM/DS/DX818

Description 4 CYLINDER AIR COND/MED TEMP RECIPROCATING COMPRESSOR, 6D48 4 CYL

Itm#	Qty	Rec	Part Number	Description
1B	1	-	06DM/DX818()AC1200	COMPRESSOR ASSY 208/230-3-60
1C	1	-	06DM/DX818()AC0600	COMPRESSOR ASSY 400/460-3-50/60
1D	1	-	06DM8186AC0100	COMPRESSOR ASSY 575-3-60
1G	1	-	06DM8187AC0800	COMPRESSOR ASSY 230-3-50: NOTE: COMPRESSOR MODELS WITH A 5.7,OR 8 IN 13TH DIGIT ARE LESS OIL.
2	1	-	06DA660075	TERM.BOX & COVER KIT(3 X5 X6): NOTE: FOR 1/2 OVERLOADS 1 OR 3 PHASE.
2A	1	-	06DA660078	TERM.BOX & COVER KIT(3.4X6X6): NOTE: FOR UP TO 3 OLD'S 3 PH XL.
2B	1	-	06DA660088	TERM.BOX & CVR.KIT(3 X6 X8): NOTE: FOR UP TO 6 OLD'D,3 PHASE PW. NOTE: EACH TERMINAL BOX & COVER KIT CONTAIN LABELS INSULATION & HDWR.
3	1	-	06DA660134	TERMINAL PLATE PACKAGE: INCLUDES: ITEMS 3A-3H
3A	1	-	NSS	> TERMINAL PLATE ASSY(6 PIN) includes
3B	1	-	06DA503674	> > PHASE BARRIER(PLASTIC)
3C	6	-	06DA503262	> > NUT,TERMINAL(BRASS)
3D	6	-	AU29AR171	> > WASHER,LOCKTOOTH
3E	6	-	06DA502333	> > SPACER SLEEVE (BRASS)
3F	1	-	6D401061	> GASKET,TERMINAL PLATE
3G	2	-	NSS	> SPLICE
3H	4	-	NSS	> SCREW,TERMINAL PLATE MTG
4	1	-	6D401311	GROMMET,MOTOR LEAD
5	1	-	06DA660095	TERMINAL PACKAGE: INCLUDES: ITEM 5A
5A	6	-	NSS	> TERMINAL NUT & SCREW: NOTE: FOR USE ON POWER LEADS THOUGH SIZE #5 WIRE. NOTE: *INDICATES VOLTAGE CODE OF COMPRESSOR LISTED AS LAST 4 DIGITS OF COMPRESSOR MODEL NUMBER. SEE SIG CHART ON PGS 1 & 2 OF THIS PARTS LIST Y
6B	2	C	HN69GZ306	OVERLOAD 0400* 208-3-60
6C	2	C	HN69GZ214	OVERLOAD 0500* 230-3-60
6D	2	C	HN69GZ306	OVERLOAD 1200* 208/230-3-60
6E	2	C	HN69GZ025	OVERLOAD 0600* 400/460-3-50/60
6F	2	C	HN69GZ053	OVERLOAD 0100* 575-3-60
6G	2	C	HN69GZ022	OVERLOAD 0800* 220-3-50
6H	2	C	HN69GZ025	OVERLOAD 1300* 380-3-60
6L	2	C	HN69GZ037	OVERLOAD 3100* 575-3-60
6M	2	C	HN69GZ214	OVERLOAD 3200* 208/230-3-60
6N	2	C	HN69GZ031	OVERLOAD 3400* 220-3-50
6O	2	C	HN69GZ038	OVERLOAD 3600* 400/460-3-50/60
6P	2	C	HN69GZ014	OVERLOAD 3900* 415-3-50: NOTE: OVERLOAD SPACER IS USED IN TERMINAL BOX FOR MOUNTING OLD'S TO.
9	1	-	06DA660077	OVERLOAD SPACER PKG (2 PCS): NOTE: TAKES UP TO 6 OLD'S,USED IN 5X6 & 6X8 BOXES.
9A	1	-	06DA403052	OVERLOAD SPACER: NOTE: TAKES UP TO 4 OLD'S,USED IN 6X8 BOX.
9B	1	-	06DA403042	OVERLOAD SPACER: NOTE: TAKES UP TO 2 OLD'S,USED IN 6X6 BOX.
12	1	R	06DA660064	SUCTION VALVE PACKAGE: INCLUDES: ITEMS 13-17A
13	1	-	NSS	> SERVICE VALVE,(2 BLT)
14	1	R	6D401131	> GASKET,VALVE (1.75 CTRS)
15	4	-	NSS	> CAPSCREW,VALVE MOUNTING
16	1	-	EN99ZA006	> CAP,VALVE (MUELLER)
16A	1	-	EN99ZA013	> CAP,VALVE (HENRY)
17	1	-	EN99ZA103	> GASKET,VALVE CAP (MUELLER)
17A	1	-	NSS	> GASKET,VALVE CAP (HENRY)
18	1	R	06DA660062	SUCTION VALVE PACKAGE (ALT): INCLUDES: ITEMS 19 - 24A
19	1	-	NSS	> SERVICE VALVE
20	1	R	6D401131	> GASKET,VALVE

Itm#	Qty	Rec	Part Number	Description
21	4	-	NSS	> CAPSCREW, VALVE MOUNTING
25S	1	-	06DA660103	BAFFLE PLATE PACKAGE (DISCHARGE): INCLUDES: ITEMS 25T - 25U
25T	1	-	NSS	> BAFFLE PLATE (3 HOLE)
25U	2	-	6D231421	> GASKET
26	1	R	06DA660061	DISCHARGE VALVE PACKAGE: INCLUDES: ITEMS 27 - 32A
27	1	-	NSS	> SERVICE VALVE (5/80DS, 2BOLT)
28	1	R	6D231421	> GASKET, VALVE(1.62 CTRS)
30	1	-	NSS	> CAPSCREW, VALVE MOUNTING
31	1	-	EN99ZA006	> CAP, VALVE(MUELLER)
32	1	-	06DA680053	> GASKET, VALVE CAP (MUELLER)
34	1	R	NONE	DISCHARGE VALVE PKG. (ALTERNATE): INCLUDES: ITEMS 35 - 40A
62	1	-	PH23QK016	PAINT, SPRAY (SEA FOAM GREEN)
63	1	R	6D43172	GASKET SET: NOTE: GASKET SET CONTAINS ITEMS 14, 37, 68, 69, 70, 86, 93, 117, 124, 159G & 166 IN QUANTITIES FOR ANY SIZE COMPRESSOR.
65	2	-	6D402163	HEAD, CYLINDER (W/O CAP CNTRL)
66	1	-	6D751204	HEAD, UNLOADER CYL(HGBP)(*)(HEAD ONLY)
67	1	-	06DA504614	HEAD, UNLOADER CYL(SCOU)(*)(HEAD ONLY)
69	2	R	05GA502213	GASKET, CYL. HEAD (W/O CAP CNTRL)(*)
70	1	R	05GA502183	GASKET, CYL. HEAD (HGBP) (*)
71	1	R	05GA502223	GASKET, CYL. HEAD (SCOU) (*)
72	1	-	AA06GR237	CAPSCREW, CYL. HEAD (W/O CAP CNTRL)(*)
73	1	-	AA06GR239	CAPSCREW, CYL. HEAD (W/CAP CONT.)(*): QUANTITY OF ITEMS MARKED (*) ARE DETERMINED BY CAPACITY CONTROL TYPE.
74	1	-	05GA501762	PLUG, OIL DRAIN (7/16-20 SAE): NOTE: SAE FITTINGS ARE ONLY FOUND ON NEWER COMPRESSOR MODELS. OLDER VERSIONS STILL HAVE PIPE PLUGS FOR OIL FILL AND DRAIN CONNECTIONS.
74A	1	-	DE14CA126	ADAPTER (7/16-20 SAE X 1/4 FPT)
74B	1	-	KK71EW904	"O" RING (FOR 74/74A)
75	1	-	6D40103	SCREEN ASSEMBLY, OIL FILTER
76	1	-	5F201311	ADAPTER (1/4" FPT TO 5/8-18)
77	1	-	AU51YA011	GASKET, OIL BY-PASS PLUG
78	1	-	6D481092	TUBE, OIL SUCTION
79	1	-	6D23522	VALVE ASSEMBLY, OIL RELIEF: INCLUDES: ITEM 80
81	1	-	30HH401051	ADAPTOR (1-1/2-18 X 1-1/8 ODS)
82	1	R	5F20152	SIGHTGLASS ASSEMBLY: INCLUDES: ITEM 83
83	1	R	5F201631	> GASKET, SIGHTGLASS
85	1	-	6D481274	COVER, BOTTOM
86	1	-	6D401043	GASKET, BOTTOM COVER
87	16	-	AA06GR229	CAPSCREW, BOTTOM PLATE
88	1	-	6D482063	FOOT, COMPRESSOR
89	2	-	AA06GR229	CAPSCREW, COMPRESSOR FOOT
90	2	-	AU27AR241	WASHER, EVERLOCK
91	1	-	6D481024	COVER, MOTOR END
93	1	R	6F251013	GASKET, MOTOR END COVER
95	18	-	AA06GR262	CAPSCREW, MOTOR END COVER
97	1	R	6D40112	STRAINER, SUCTION (MESH CUP)
98	1	R	6D48303	STRAINER, SUCTION (FLAT TYPE)
99	1	-	6D401172	PLATE, BAFFLE (OLDER UNITS ONLY)
100	1	-	AX14CA135	ROLLPIN (STATOR TO CRANKCASE)
101	1	-	6D40162	VALVE ASSEMBLY, CHECK
102	4	-	CA63AA051	PLUG, PIPE
103	1	-	06DA403844	VALVE ASSEMBLY, LOW PRESS. CONN
104	1	-	99CC409372	CAP, VALVE
105	1	R	06DA660126	BEARING HEAD & OIL PUMP PACKAGE: NOTE: BRG HEAD PKG HAS A 1/8 NPT CONN FOR OIL SAFETY SW WHICH IS NOT PART OF IT # 105. ORDER P529-2110 IF REQUIRED. ALSO SEE ITEM # 283. INCLUDES: ITEMS 106-124

Itm#	Qty	Rec	Part Number	Description
106	1	-	NSS	BEARING HEAD ASSEMBLY: INCLUDES: ITEMS 107-124
107	1	-	NSS	> BEARING, HEAD
108	1	-	NSS	> ROTOR, PUMP
109	2	-	NSS	> VANE, PUMP
110	2	-	NSS	> SPRING, VANE
111	2	-	NSS	> GUIDE, SPRING
112	1	-	NSS	> RING, ROTOR RETAINING
114	4	-	AU51YA003	> GASKET, CAPSCREW
115	4	-	AA06GR199	> SCREW, HEX HEAD CAP
116	1	-	7J16002	> PLATE, COVER
117	1	R	6D401061	> GASKET, COVER PLATE
118	1	-	6D401112	> SPRING, GUIDE VANE
119	1	-	6D401171	> VANE, GUIDE
120	1	-	05KA404093	> DRIVE SEGMENT, OIL PUMP
120A	1	-	05GA502142	> FILL PLUG (3/8-24 SAE)(INC "O" RING): NOTE: SAE FITTINGS ARE ONLY ON NEWER COMPRESSOR MODELS. OLDER VERSIONS STILL USE PIPE PLUGS FOR OIL FILL AND DRAIN CONNECTIONS.
120B	1	-	KK71EW904	> "O" RING (FOR ITEM 120A)
121	2	-	NSS	> SCREW, SOCKET HEAD
122	2	-	NSS	> LOCKWASHER
123	8	-	NSS	> SCREW, HEX HEAD CAP
124	1	R	6D401022	> GASKET, BEARING HEAD
126	1	-	6D48403	CRANKSHAFT: NOTE: IF YOU HAVE A SERVICE REPLACEMENT COMPRESSOR WITH AN "A" ON END OF MODEL NUMBER. EX: 06DX3136BC0600A. THAN COMPRESSOR HAS AN UNDERSIZE CRANKSHAFT WHICH MUST BE REPLACED BY A STANDARD SIZE (IT # 126). IF YOU NEED TO REPLACE IT, YOU MUST ALSO CHANGE CONN RODS TO THE STD ONES (ITEM # 148). CARRIER DOES NOT CARRY THE UNDERSIZED SHAFTS IN STOCK.
133	1	-	06DA503112	LOCKWASHER, ROTOR (1.75DIA)
134	1	-	06DA503102	LOCKWASHER (5/8)(5 PT. STAR)
135	1	-	6D48122	TUBE ASSEMBLY, EQUALIZER
138	1	-	AW01DA103	KEY, ROTOR (1/4 X 1/4 X 3)
139	4	-	6D43962	PISTON & PIN PKG (A/C)(2" DIA): INCLUDES: ITEMS 140 - 142
140	1	-	NSS	> PISTON (FLAT TOP)
141	1	-	NSS	> PIN, PISTON
142	2	-	6D431051	> RETAINING RING, PISTON PIN
143	1	-	06DA660067	PISTON & PIN PKG (2.00 +.020)(A/C): INCLUDES: ITEMS 144-146
144	1	-	NSS	> PISTON
145	1	-	NSS	> PISTON, PIN
146	2	-	6D431651	> RETAINING RING, PISTON PIN
148	4	-	06DA660041	CONN. ROD & CAP ASSEMBLY: INCLUDES: ITEMS 149-151
149	1	-	NSS	> CONNECTION ROD & CAP
150	2	-	06DA502763	> CAPSCREW, SELF LOCK
151	2	-	7J16032	> PIN, DOWEL
152	1	-	06DA660048	CONN. ROD & CAP ASSEMBLY (-.010): NOTE: SEE NOTE FOR ITEM # 126A. INCLUDES: ITEMS 153-155
153	1	-	NSS	> CONNECTION ROD & CAP
154	2	-	06DA502763	> CAPSCREW, SELF LOCK
155	2	-	7J16032	> PIN, DOWEL
156	4	-	AU50CP355	RING, COMPRESSION (2.00 DIA)
156A	4	-	6D402553	RING, COMPRESS. (2 DIA.)(+.020)
158	4	-	AU50CP245	RING, OIL (2.00 DIA)
158A	4	-	6D402543	RING, OIL (2.00 DIA) (+.020)
160	1	-	06DA660120	VALVE PLT PKG (HI-EFF)(A/C)(2.00 BORE): INCLUDES: ITEMS 161 -172 NOTE: THIS HI-EFF VALVE PLATE CAN BE USED ON CYL BANKS W/O CAPACITY OR ON CYL BANKS USING SCOU. BUT CAN NOT BE USED ON BANKS USING HGBP.
161	1	-	NSS	> VALVE PLATE ASSEMBLY: INCLUDES: ITEMS 162-164
162	2	-	06DA502913	> > VALVE, DISCHARGE

Itm#	Qty	Rec	Part Number	Description
163	2	-	06DA503943	> > STOP,DISCHARGE VALVE
164	4	-	06DA507672	> > SCREW,HEX HEAD
166	1	R	05DA500153	> GASKET,VALVE PLATE
167	1	R	05GA502213	> GSKT,CYL HD (W/O UNLDG)(SIDE BANK)
168	1	R	05GA502223	> GASKET,CYL HD (STL) (SCOU)
169	2	-	06DA502903	> VALVE,SUCTION (HI-EFF)
170	2	-	NSS	> SPRING,SUCTION VALVE
171	1	R	05GA502173	> GASKET,CYL HEAD (CENTER)
172	1	-	06DA502923	> GSKT,VALVE PLT(STL)(LESS 1 PORT)
173	1	-	06DA660131	VALVE PLATE PKG (HGBP)(A/C)(: INCLUDES: ITEMS 174-188
174	1	-	NSS	> VALVE PLATE ASSEMBLY: INCLUDES: ITEMS 175-183
175	2	-	NSS	> > VALVE,DISCHARGE
176	2	-	NSS	> > STOP,DISCHARGE VALVE
177	4	-	NSS	> > SCREW,HEX HEAD
179	1	-	06DA502322	> > PISTON,CHECK VALVE
180	1	-	06DA502342	> > BODY,CHECK VALVE
181	1	-	6D752081	> > SPRING,CHECK VALVE
182	4	-	NSS	> > SCREW,ROUND HEAD
183	4	-	AU11AR081	> > LOCKWASHER
184	1	-	05DA500153	> > GASKET,VALVE PLATE
185	1	R	05GA502183	> > GASKET,CYL HEAD (W/HGBP)
186	2	R	06DA502903	> > VALVE,SUCTION
187	1	-	NSS	> > SPRING,SUCTION VALVE
188	8	-	7J16032	> > DOWEL,SUCT.VALVE
193	1	R	06EA660165	C'CASE HTR,INSERT 115V;180W
193A	1	R	06EA660166	C'CASE HTR,INSERT 230V;180W
193B	1	R	06DA660076	C'CASE HTR,INSERT 480V;125W: INCLUDES: ITEM 196
196	1	-	AS81VF056	> CLIP
197	1	-	30HR0701071	SOLID MOUNT SPACER PACKAGE
198	1	-	06DA900072	OIL EQUALIZATION PKG (R'PLC GLASS): INCLUDES: ITEMS 199-200
199	1	-	30HH401051	> ADAPTER (1 1/8 ODS)
200	1	-	5F201631	> GASKET
201	1	-	06DA605604	MUFFLER
202	1	-	06EA660096	MOUNTING PLATE KIT
203	1	-	06DA660056	SUSPENSION KIT: INCLUDES: ITEMS 204-210
204	4	-	50K41231	> SPRING,MOUNTING
205	4	-	50K41221	> RETAINING,SPRING
206	4	-	AT61JA241	> NUT,LOCK
207	4	-	6D732241	> SNUBBER
208	4	-	6D732251	> CUP,SNUBBER
209	4	-	NSS	> STUD
210	8	-	NSS	> NUT,FLANGED
211	1	-	06DA660089	CAPACITY CONTROL ACCY (ELECT SCOU): INCLUDES: ITEMS 212-224 & 239-241A
212	1	-	NSS	> CYLINDER HEAD ASSEMBLY: INCLUDES: ITEMS 213-224
213	1	-	06DA504614	> > CYLINDER HEAD
214	1	-	06DA503073	> > PISTON
215	1	R	06EA501253	> > GASKET,UNLOADER VALVE
216	1	-	06DA502963	> > VALVE BODY
217	1	-	06DA502953	> > SPRING,COMPRESSION
218	1	-	06DA502973	> > COVER,VALVE
219	1	-	06DA502983	> > GASKET,VALVE COVER
220	1	-	06DA405264	> > VALVE BODY ASSY(LESS COIL)
221	1	R	6D75601	> > STRAINER
222	7	-	AB44AA168	> > SCREW,SOCKET HEAD

Itm#	Qty	Rec	Part Number	Description
223	3	-	AU52YA171	> > GASKET, SOCKET HD SCR
224	1	-	06DA503083	> > RING, SEAL
225	1	-	06DA660090	CAPACITY CONTROL ACCY (PRESS SCOU): INCLUDES: ITEMS 226-241A
226	1	-	NSS	CYLINDER HEAD ASSEMBLY: INCLUDES: ITEMS 227-238
227	1	-	06DA504614	> CYLINDER HEAD
228	7	-	06DA503073	> PISTON
229	1	R	06EA501253	> GASKET, UNLOADER VALVE
230	1	-	06DA502963	> VALVE BODY
231	1	-	06DA502953	> COMPRESSION SPRING
232	1	-	06DA502973	> VALVE COVER
233	1	R	06DA502983	> GASKET, VALVE COVER
234	1	-	06DA404294	> VALVE BODY ASSY (PRESS)
235	1	R	6D75601	> STRAINER
236	7	-	AB44AA168	> SOCKET HD SCREW
237	3	-	AU51YA171	> GASKET, SOC HD SCREW
238	1	-	06DA503083	> RING SEAL
239	1	R	05GA502223	GASKET, CYLINDER HEAD
240	8	-	AA06GR239	CYLINDER HEAD BOLTS
241	2	-	NSS	STUDS, CYL HEAD FAN MTG
241A	1	R	05DA500153	GASKET, VALVE PLATE
242	1	R	EF19ZE024	ALCO VALVE COIL: 24-1-50/60
242A	1	R	EF19ZE120	ALCO VALVE COIL; 120-1-50/60
242B	1	R	EF19ZE240	ALCO VALVE COIL; 208/230-1-50/60: NOTE: ALCO VALVES CAN BE IDENTIFIED BY A SNAP CAP WHICH HOLDS COIL ON.
243	1	-	06EA660135	CCA VALVE COIL; 208/240-1-50/60
243A	1	-	06EA660135	CCA VALVE COIL; 120-1-50/60: NOTE: CCA (SINGER) VALVES CAN BE IDENTIFIED BY A HEX NUT TO HOLD COIL.
244	1	-	06EA660100	CAPACITY CONTROL VALVE PKG (PRESS): INCLUDES: ITEMS 245-250
245	1	-	NSS	> VALVE BODY ASSY (PRESS)
246	1	-	NSS	> PISTON ASSY (NOT FOR SCOU)
247	1	R	06EA501253	> GASKET, UNLOADER
248	1	-	06EA680036	> WRENCH, ALLEN (SPECIAL)
249	3	-	AB44AA168	> SCREW, SOCKET HD.
250	3	-	AU52YA171	> GASKET, SOCKET HEAD SCREW
251	1	-	06EA660135	CAPACITY CONTROL VALVE PKG (ELEC): INCLUDES: ITEMS 252-256
252	1	-	06DA405264	> VALVE BODY ASSY (LESS COIL)
253	1	R	06EA501253	> GASKET, UNLOADER
254	1	-	NSS	> PISTON
255	3	-	AB44AA168	> SCREW, SOCKET HEAD
256	3	-	AU52YA171	> GASKET, SOCKET HEAD SCREW
261	1	-	06DA660111	CONTROL VALVE REWORK KIT (SCOU): INCLUDES: ITEMS 262-268
262	1	-	06DA503072	> PISTON
263	1	R	06EA501253	> GASKET, UNLOADER VALVE
264	1	-	06DA502963	> VALVE BODY
265	1	-	06DA502953	> SPRING, COMPRESSION
266	1	R	06DA502983	> GASKET, VALVE COVER
267	1	R	6D75601	> STRAINER
268	1	-	06DA503083	> RING, PISTON
269	1	-	06DA660112	BLOCKING KIT (SCOU TO UNLOADED): INCLUDES: ITEMS 270-274
270	1	R	06EA501253	> GASKET, UNLOADER VALVE
271	1	-	06DA502993	> SLEEVE, BLOCKING
272	1	-	06DA501032	> PLATE, COVER
273	3	-	AB44AA170	> SCREW, SOCKET CAP
274	3	-	AU51YA171	> GASKET, SOCKET CAP SCREW
275	1	-	06DA660113	BLOCKING KIT (HGBP TO UNLOADED): INCLUDES: ITEMS 276-282

Itm#	Qty	Rec	Part Number	Description
276	1	R	06EA501253	> GASKET, UNLOADER VALVE
277	1	-	06DA500061	> SPRING
278	1	-	06DA501072	> PLUG
279	1	-	06DA500051	> SEAT RING
280	1	-	06DA501032	> PLATE, COVER
281	3	-	AB44AA170	> SCREW, SOC HD CAP
282	3	-	AU52YA171	> GASKET, SOC CAP SCREW
283	1	-	06DA660115	0PSS TRANSDUCER KIT(OIL PRESS SFTY SW): INCLUDES: ITEMS 284 - 296
284	1	-	06DA660114	> HARDWARE KIT: INCLUDES: ITEMS 285 - 293
285	1	-	06EA680078	> > MOUNTING BLOCK
286	1	-	06DA680063	> > GASKET, MOUNTING BLOCK (FIBER)
286A	1	-	06DA504473	> > GASKET, MOUNTING BLOCK (METAL)
287	4	-	NSS	> > SCREW, ALLEN HEAD
288	2	-	CA63AA051	> > PIPE PLUG 1/4"
289	1	-	CA63AA001	> > PIPE PLUG 1/8"
290	1	-	DD07UA051	> > COUPLING, HALF UNION
291	1	-	DD07DA053	> > COUPLING, HALF UNION
292	1	-	NSS	> > SCREW, SET
293	1	-	KLE-SL4	> > ALLEN WRENCH 1/16"
294	1	-	06DA403713	> SENSOR & CONTROL
295	1	-	NSS	> TUBE ASSY
296	1	-	DD10CA053	> ELBOW. HALF UNION